



FIG. 1




1,2,3,4,6,7,8-HpCDD (HEPTACHLORODIBENZO-PARA-DIOXIN)		
	SPECIFIC WAVELENGTH (nm)	ION SIGNAL INTENSITY (a. u.)
①	317.66	0.33
②	317.36	0.35
③	315.10	0.35
④	314.60	0.32
⑤	314.37	0.36
⑥	313.65	0.44
⑦	312.96	0.51
⑧	312.80	0.54
⑨	312.20	0.73
⑩	311.90	0.82
⑪	311.61	0.87
⑫	311.00	0.97
⑬	310.39	0.96
⑭	310.12	1

FIG 2



OCDD (OCTACHLORODIBENZO-PARA-DIOXIN)		
	SPECIFIC WAVELENGTH (nm)	ION SIGNAL INTENSITY (a. u.)
①	321.85	0.63
②	321.14	0.51
③	319.76	0.49
④	317.90	0.61
⑤	316.23	0.44
⑥	315.80	0.58
⑦	315.48	0.48
⑧	315.21	0.47
⑨	314.57	0.53
⑩	312.60	1
⑪	312.04	0.94
⑫	311.69	0.67
⑬	310.87	0.87

FIG. 3



OCDF (OCTACHLORODIBENZOFURAN)		
	SPECIFIC WAVELENGTH (nm)	ION SIGNAL INTENSITY (a. u.)
①	329.89	0.62
②	329.41	1
③	329.28	0.71
④	329.11	0.67
⑤	329.02	0.62
⑥	328.93	0.8
⑦	327.35	0.51
⑧	326.38	0.74
⑨	325.48	0.79

FIG. 4




FIG. 5

